Declaration of Performance, DoP nr. GR-3-001_ENG

General info:

Product Type:	Windows and Doors	
Unicque ID code / Product type	Fixed light, FK wood/alu, 2500x2400 Fixed light, FK wood, 2500x2400	
Intended Use:	For fitting vertically in domestic and commercial buildings	
Manufacturer:	Grant P/F, 385 Vatnsoyrar. Faroe Islands	
System for Evaluation and Control (AVCP)	System 3	
Harmonised Standard:	EN 14351-1:2006 + A2:2016	
Evaluation Body	Teknologisk Institut, Denmark, cpr nr. 1235	
Relevant Test Reports	● DTI 2024-11-08: 220154-6	

Product Performance Details:

Relevant performance	Performance	Test method standards
Air Permeability - EN 12207	Class 4	
Watertightness - EN 12208	Class E1200 (1200 Pa)	EN 1026:2016 EN 1027:2016 EN 12211:2016
Load-bearing Capacity of Safety Devices	Test Passed	
Acoustic Performance	Not Provided	
Thermal Transmittance	0,81 W/m ² K (dimensions: 2500*2400 mm)	
Resistance to Wind Load - EN 12210	Class C4	

Declaration and Signature: The performance of the above-identified product conforms with the set of declared performances. This declaration is issued under the sole responsibility of the manufacturer.

Signed by:

Rúni Vang Poulsen, CEO

Date: 17/01/2025

Location: Vatnsoyrar, Faroe Islands

R.V. Podsen