

# Declaration of Performance, DoP nr. GR-1-001\_ENG

General info:

<b>Product Type:</b>	Windows and Doors
<b>Unicque ID code / Product type</b>	Sidehung outward window, SH wood/alu, 800*1488 Sidehung outward window, SH wood, 800*1488
<b>Intended Use:</b>	For fitting vertically in domestic and commercial buildings
<b>Manufacturer:</b>	Grant P/F, 385 Vatnsoyrar. Faroe Islands
<b>System for Evaluation and Control (AVCP)</b>	System 3
<b>Harmonised Standard:</b>	EN 14351-1:2006 + A2:2016
<b>Evaluation Body</b>	Teknologisk Institut, Denmark, cpr nr. 1235
<b>Relevant Test Reports</b>	<ul style="list-style-type: none"><li>DTI 2024-11-15: 220154-8</li></ul>

Product Performance Details:

Relevant performance	Performance	Test method standards
Air Permeability - EN 12207	Class 4	EN 1026:2016 EN 1027:2016 EN 12211:2016
Watertightness - EN 12208	Class E1200 (1200 Pa)	
Load-bearing Capacity of Safety Devices	Test Passed	
Acoustic Performance	Not Provided	
Thermal Transmittance	1.03 W/m <sup>2</sup> K (dimensions: 800*1488 mm)	
Resistance to Wind Load - EN 12210	Class C4	

**Declaration and Signature:** The performance of the above-identified product conforms with the set of declared performances. This declaration is issued under the sole responsibility of the manufacturer.

Signed by:

Rúni Vang Poulsen, CEO

Date: 17/01/2025

Location: Vatnsoyrar, Faroe Islands

