

Declaration of Performance, DoP nr. GR-6-001_ENG

General info:

Product Type:	Windows and Doors
Unique ID code / Product type	Topguided window out, TS wood/alu, 1288x1288 Topguided window out, TS wood, 1288x1288
Intended Use:	For fitting vertically in domestic and commercial buildings
Manufacturer:	Grant P/F, 385 Vatnsoyrar. Faroe Islands
System for Evaluation and Control (AVCP)	System 3
Harmonised Standard:	EN 14351-1:2006 + A2:2016
Evaluation Body	Teknologisk Institut, Denmark, cpr nr. 1235
Relevant Test Reports	<ul style="list-style-type: none">DTI 2024-11-14: 220154-7 & DTI 2024-12-20: 291533-2

Product Performance Details:

Relevant performance	Performance	Test method standards
Air Permeability - EN 12207	Class 4	EN 1026:2016 EN 1027:2016 EN 12211:2016
Watertightness - EN 12208	Class E1500 (1500 Pa)	
Load-bearing Capacity of Safety Devices	Test Passed	
Acoustic Performance	Not Provided	
Thermal Transmittance	0,98 W/m ² K (dimensions: 1288*1288 mm)	
Resistance to Wind Load - EN 12210	Class C4	

Declaration and Signature: The performance of the above-identified product conforms with the set of declared performances. This declaration is issued under the sole responsibility of the manufacturer.

Signed by:

Rúni Vang Poulsen, CEO

Date: 17/01/2025

Location: Vatnsoyrar, Faroe Islands

